

ZEOTEK

SAGARPA AUTHORIZATION: A-7356-004

Antimycotoxins Agent, organoaluminosilicate.
Product free of heavy metals, dioxins and furans.



Formula

Each 100 g contains minimum:

| | |
|--|--------|
| Silicon dioxide SiO ₂ | 45.0 g |
| Aluminum trioxide Al ₂ O ₃ | 13.0 g |
| Potassium oxide K ₂ O..... | 0.05 g |
| Sodium oxide Na ₂ O..... | 0.01 g |
| Calcium oxide CaO..... | 0.1 g |
| Magnesium oxide MgO..... | 1.0 g |
| Iron trioxide Fe ₂ O ₃ | 1.0 g |
| Exipient q.s. | 16.0 g |



Indications

Effective in the elimination of zearalenone that contaminates the balanced feed in animals, it has a proven capacity of adsorption of 90%. It also has a high affinity for other mycotoxins such as ochratoxin A, fumonisins, aflatoxins and T-2 toxin. Innocuous product. It has no affinity for vitamins, pigments, growth promoters, phosphorus and trace minerals. For use in laying hens, broiler chickens, chickens for fattening, fattening pigs, breeding pigs, beef and dairy cattle.



Administration and dose

Oral, added to the feed.

It is recommended to use 0.5 to 1.5 kg of product per ton of finished feed. For use in different livestock species.



Instructions and warnings

For exclusive use in the preparation of animal feed. Contact with eyes and skin may cause irritation. Wear goggles and dust mask. In order to obtain the maximum benefits of ZEOTEK a uniform mixture must be ensured in the finished feed.

Store in a dry, ventilated place. Keep out of reach of children and domestic animals.

Use in:



Presentations:

10, 25 and 500 kg sack



VETERINARY USE
FOR THE USE OF THE VETERINARIAN
CONSULT THE VETERINARIAN